

重组人CX3C趋化因子1(CX3CL1)


C-X3-C Motif Chemokine 1, Human, Recombinant

Cat. No.: MA1348-1 Size: 10 μ g

Source:	Human Cells
Description:	Recombinant Human C-X3-C Motif Chemokine 1 is produced by our Mammalian expression system and the target gene encoding Gln25-Arg339 is expressed with a 6His tag at the C-terminus.
Accession:	P78423
Known As:	Fractalkine; C-X3-C Motif Chemokine 1; CX3C Membrane-Anchored Chemokine; Neurotactin; Small-Inducible Cytokine D1; CX3CL1; FKN; NTT; SCYD1
Predicted Mol Mass:	34.36 KDa
Apparent Mol Mass:	50-90 KDa, reducing conditions
Endotoxin:	< 1 EU/ μ g as determined by LAL test.
Formulation:	Lyophilized from a 0.2 μ m filtered solution of 20mM PB, 150mM NaCl, pH 7.2.
Reconstitution:	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 μ g/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.
Shipping:	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
Storage:	Lyophilized protein should be stored at $\leq -20^{\circ}\text{C}$, stable for one year after receipt. Reconstituted protein solution can be stored at 2-8 $^{\circ}\text{C}$ for 2-7 days. Aliquots of reconstituted samples are stable at $\leq -20^{\circ}\text{C}$ for 3 months.
Background:	Human Fractalkine (CX3CL1) is a member of the CX3C family of chemokines. Human Fractalkine contains both chemokine and mucin domain. The soluble form of Fractalkine is chemotactic for T-cells and monocytes, but not for neutrophils. The membrane bound form of Fractalkine promotes leukocytes adhesion to endothelial cells. Fractalkine regulates leukocyte adhesion and migration processes at the endothelium and binds to CX3CR1. Natural Human Fractalkine is produced as a long protein (373-amino acid). The mucin-like stalk permits it to bind to the cell surface.



Purity-SDS-PAGE:



Greater than 95% as determined by reducing SDS-PAGE.

