

## Recombinant Human TNF $\alpha$

Cat. No.:MGC084 size : 10 $\mu$ g / 50 $\mu$ g / 1mg

### Characteristics:

**Source** Chinese Hamster Ovary cell line

**Description** Human TNF $\alpha$  (Val77-Leu233)  
Accession # P01375

**Predicted molecular mass** 17.4 kDa

### Specification:

**Appearance** White powder, Colorless clear liquid after reconstitution

**Purity**  $\geq$ 95%, by SDS-PAGE (under reducing (R) & Non-reducing conditions, visualized by Coomassie staining)

**Endotoxin**  $\leq$ 0.01EU/ $\mu$ g by the LAL method

**Activity** Measured in a cytotoxicity assay using L-929 mouse fibroblast cells in the presence of the metabolic inhibitor actinomycin D. The ED<sub>50</sub> for this effect is 5-60 pg/mL.

**Formulation** Lyophilized from a 0.22  $\mu$ m-filtered solution containing PBS, 5% mannitol and 0.01% Tween 80, pH 7.4

### Handling and Storage:

**Reconstitution** It is recommended to redissolve in sterile deionized water.


**Shipping** Wet ice (seasonal)

**Storage & Stability** 36 months at -20°C to -80°C in lyophilized state  
6 months at -20°C to -80°C under sterile conditions after reconstitution  
7-10 days at 2°C to 8°C under sterile conditions after reconstitution

**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.**


**Data:**

**SDS-PAGE**




Recombinant Human TNF $\alpha$  (Cat. No. MGC084) SDS-PAGE under reducing (R) & Non-reducing conditions. The gel was stained with MGC084 SDS-PAGE.

**Bioactivity**



Measured in a cytotoxicity assay using L- 929 mouse fibroblast cells in the presence of the metabolic inhibitor actinomycin D.

**Bioactivity**



Recombinant Human TNF $\alpha$  (Cat. No. MGC084) measured in a cytotoxicity assay using L-929 mouse fibroblast cells in the presence of the metabolic inhibitor actinomycin D. The ED<sub>50</sub> for this effect is 5-60 pg/mL. The activity of MGC084 was equivalent to other competing products.

**SEC-HPLC**

